HP LaserJet Pro MFP3102fdwe Printer

Fast and fully loaded with smart capabilities for effortless, secure, and sustainable printing.¹

This HP+ printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use so you can focus more on your business. And with HP+, printers have never been easier to manage and use from anywhere.





This is an HP+ printer. It requires an HP account, connection to the internet, and exclusive use of Original HP Toner cartridges for the life of the printer. More at: http://www.hp.com/plus-faq

Highlights

- HP+ enabled, available also for business customers
- Instant Ink for Laser available
- HP Smart app and Smart Adv/Pro
- HP Wolf Pro security
- Automatic two-sided printing standard
- Fast print speed (33 ppm A4)
- High monthly duty cycle (50,000 pages)
- 250 sheet standard paper input cassette
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct



Powerful productivity.

- Support your small workteams with this smart printer, designed for up to 7 users.
- Print and scan more efficiently. Save time, paper, and costs with fast speed and auto two-sided printing.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with just a touch.
- Get productivity in the palm of your hand. Print, scan, and get time-saving Shortcuts with HP $\,\rm Smart\,app.^2$

Effortless management.

- Guided, cloud-based setup makes it easy to configure new printers and onboard users from any location. $^{\rm 3}$
- Smart Admin Dashboard monitors usage and control settings across multiple printers, in multiple locations. $^{\rm 3}$
- Seamless connectivity allows you to print from anywhere, any device, on any network.^{2,4}
- Dedicated tech support can help you when you need it, all backed by our 2 year extended HP warranty. 5,6

HP Wolf Pro Security, made better with HP+.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer security from the dashboard. Smart Admin makes IT configuration and monitoring easy.³
- Automated 24/7 monitoring helps ensure your printers and your information are always secure. $^{\rm 3}$
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery, and recycling.^{7,8,9}
- Never run out of toner with Instant Ink for laser.¹⁰
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill.⁸
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time $^{\rm 11}$

Product walkaround

HP LaserJet Pro MFP3102fdwe Printer shown



- 1. Fast printing, up to 35 ppm, 250-sheet standard paper capacity
- 2. Built for the small workteams of up to 7 users
- 3. Pre-configured security settings
- 4. Automatic 2-sided printing
- 5. High-speed USB ports, built-in fast Ethernet
- 6. Cassette type input tray

Accessories, Supplies and Support

Supplies	W1390A HP 139A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1390X HP 139X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Service and Support	U06XTE 3 years Advanced Exchange (All EMEA countries Except Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey) U06XVE 3 years Next Business Day Exchange (available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) U06XZE 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Russia, South Africa, Turkey)

Technical specifications

Model	HP LaserJet Pro MFP3102fdwe Printer
Product number	36630E
Functions	Pint copy, scan, fax
Control panel	2.7" CGD; Touch Screen; 3 LED buttons (Back, Home, Info)
Print	laser
Print technology Print speed ¹	Laser Black (44, normal): Up to 33 ppm : Black (A4, duplex): Up to 20 ipm
First page out ²	Black (44, ready): As fast as 7.0 sec; Black (44, sleep): As fast as 8.7 sec
Print resolution	Black (best, but of 200 k), a total so 1.0 sec, black ver, adept, restarts our sec. Black (best), but of 200 k 1200 dpi; Technology, 600d) with Resolution Enhancement technology (REI), HP ProRes 1200
Monthly duty cycle	Lack reaction of the test reading and the second of the se
Printer smart software features	Automatic duplex, Easy 00BE, Scan Destinations, Smart security, HP Smart Pro, Print always work, Print anywhere, HP Smart Admin
Standard print languages	PCL5c; PCL6; PS; PCLm5; PDF; URF; PWG; PCLm
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area : 207 x 348 mm
Duplex printing	Automatic (standard)
Сору	-
Copy speed	Black (A4): Up to 33 cpm
Copier specifications	Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	7
Scan speed ³	Normal (A4): Up to 19 ppm (b8w), up to 8 ppm (color)
Scan file format	JPG, TIFF, XPS, PDF, PDF/A
Scanner specifications	Scanner type ADF; flatbed; Scan technology: CIS; Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)
Recommended monthly scan volume	150 to 1500
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 148 x 210 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Fax	
Fax ⁴	Yes
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers
Processor speed	800 MHz
Connectivity	7
Standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet; Wireless 802.11b/g/n, Dualand 2.4GHz/5GHz; BLE.
Mobile printing capability	HP Smart App; Apple AirPrint [™] ; Mopria [™] Certified; Wireless Direct Printing; HP ROAM For Business; 2) Optional ROAM Queue Printing
Supported network protocols	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS 10/100Mbps Ethernet: Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz.
Network capabilities Memory	To/Toomps Enternet, writeless bock-Trough, Data Darto 2-46Hz/SGHZ.
Media handling	Standard: ST2 MD, MOXIMUNC ST2 MD
Number of paper trays	Standard: 1 ;Maximum: 1 Main Tray
Media types	Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards
Media size	Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope DL ADF: A4; LTR; LGL
Media handling	Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray ADF: Standard, 50 sheets
Media weight	60 to 163 g/m ²
Input capacity	Tray 1: Sheets : up to 250; Erwelopes : up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets
Compatible operating systems	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer (Windows 10 or below) or Edge (Win11). Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing)
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing,
Minimum system requirements	Windows: Microsoft * Windows* 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection. Mac Apple* macDS V1: 10 S tatalina, macDS 01: 11 Bit Sur, macDS 12 Monterey, 2 GB HD; Internet required
Software included	Mac Apple* Industry 10.15 Catalina (had Sov 1/2 Monteley, 2 Cos Ho, Interest, 2 Cos Ho, Interest, Papineou No CD in Noc Downloadable Software from http://www.hosmat.com/setup,in-OS app stores
Security management	Password-portected network embedded Web server enable/disable Network ports; SNMPV1 community password change
Printer management	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com
Printer management Dimensions and weight	
Dimensions and weight	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com
Dimensions and weight Printer dimensions (W × D × H)	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm
Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg
Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 60°C Acoustic power emissions: 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A)
Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 60%C Acoustic power emissions: 6. B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-voit input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption: 435 watts (active printing), 4.5 watts (ready), 1.31 watts (sleep), 0.06 watts (Manual Off), 0.06 watts (Auto Off/Manual On); Typical Electricity Consumption (TEC): Energy Star: 0.407 kWh/week;
Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 60% Acoustic power emissions: 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption: 436 watts (active valts (freadword), 1.31 watts (sleep), 0.06 watts(Manual Off), 0.06 watts (Auto Off/Manual On); Typical Exercitive Consumption (FEC): Energy Star: 0.407 kWh/week; Power supply type: Internal (Bult: in) power supply) RCM (Australia). TUV and GS Mark (Germany), BSM (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star; UL, Chile, Argentina, Paraguay, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2012 & EN55032:2012 +AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES- 003, Issue 6 Blue Angel compliant No, please refer to the ECI (Ecolabel Comparison Information) document Telecom compliance: Wireless: EU RED 2014/53/EU; EN 301 489-17:23.2 / draft EN 301 489-17:23.2 / graft EN 301 328: V2.1.1 / EN301 893 V2.1.1/EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 (Star) 5.407 (FRS2):1:2000 Bra Telecom
Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Certifications	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5*C Humidity: 30 to 70% RH Temperature: 20 to 60%C Acoustic power emissions: 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption: 436 watts (cative printing), 4.5 watts (ready), 1.31 watts (sleep), 0.06 watts(Manual Off), 0.06 watts (Auto Off/Manual On); Typical Electricity Consumption (TEC): Energy Star: 0.407 kWh/week; Power supply type: Internal (Buit: hip power supply) RCM (Australia), TUV and GS Mark (Gremany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star: 0.407 kWh/week; Power supply type: Internal (Buit: hip power supply) RCM (Australia), TUV and GS Mark (Gremany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star: 0.407 kWh/week; Power supply type: Internal (Buit: hip power supply) RCM (Australia), TUV and GS Mark (Gremany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Chile, Argentina, Paraguay, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR3:2012 & CISPR3:2015 / EN55032:2015 + AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES- 003, Issue 6 Bue Arget compliance Wireless: EU RED 2014/3/3/EU; EN 301 489-17: V3.2.0; EN 300 328: V2.1.1 / EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008 Fax Telecom: ES 203 021; FCC Title 47 CFR, Part 65; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand; other Telecom approvals as required b
Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: -20 to 60% Acoustic power emissions 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption: 436 watts (active printing), 45 swatts (fready), 131 watts (sleep), 0.06 watts(Manual Off), 0.06 watts (Auto Off/Manual On); Typical Exercitiva Consumption (FEC): Energy Star: 0.407 kWh/week; Power supply type: Internal (Buitt-in) power supply) RCM (Austrialia), TUV and GS Mark (Germany), BSM (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Chile, Argentina, Paraguay, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2015 (ENS5032:2012 +AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES- 003, Issue 6 Blue Angel compliant No, please refer to the ECI (Ecolabel Comparison Information) document Telecom compliance: Wireless: EU RED 2014/53/EU; EN 301 489-1 V22.3 / draft EN 301 328: V2.1.1 / EN301 893 V2.1.1/EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Subular Compliance: Wireless: EU RED 2014/53/EU; EN 301 489-1 V22.3 / draft EN 301 489-1 V22.3 / draf
Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity: 30 to 70% RH Temperature: 20 to 60°C Acoustic power emissions: 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption: 436 watts (active printing), 4.5 watts (ready), 1.31 watts (sleep), 0.06 watts(Manual Off), 0.06 watts (Auto Off/Manual On); Typical Electricity Consumption (TEC): Energy Star: 0.407 kWh/week; Power supply type: Internal (Built-in) power supply RCM (Austratia), TUV and GS Mark (Germany), BSM (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Chile, Argentina, Paraguay, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard (LSPR32:2012 & CISPR32:2015 /ENS5032:2012 +AC:2016 - Class B; EN 61000-3-3:2013; EN 55032:2017; FCC Title 47 CFR, Part 15 Class B/CES- 003, Issue 6 Blue Angel compliante Wineles: EU RED 2014/35/UE; IS 0301 493-1V: 23.2, OF 104 49-17 V: 32.0; EN 3003 28: V2.1.1 / EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Class B/CES- 003, Issue 1, 2015 & RSS 102 Issue 5, 2015; JEC 62311:2007 / EN62311:2008 Fax Telecom: ES 203 021; FCC Title 47 CFR, Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals arequired by individual countries. Mercury free
Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Certifications Sustainable impact specifications Country of origin	HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity. 30 to 70% RH Temperature: -20 to 60%C Accusitic power emissions: 6.6 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 220-volt put voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz; Consumption. 436 waits (active printing), 4.5 waits (ready), 1.31 waits (sleep), 0.06 waits(Manual Off), 0.06 waits (Auto Off/Manual On); Typical Electricity Consumption (TEC): Energy Star: 0.407 kWh/week; Power supply type: Internal (Built-in) power supply Requirements: 220-volt by type: Internal (Built-in) power supply Ref (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star: UL, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32:2012 & CISPR32:2012 & ENS5032:2012 + AC:2016 - Class B; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/CES-003; Issue 6 Bue Angel compliant Wo, please refer to the ECI (Ecolabel Comparison Information) document Telecom compliance Winderses: EUR ED 2014/53/EU; EX3 d/ aid EN 301 489-17V 32:20; EN 300 328: V2.1.1 / EN300 440-1 V2.1.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008 Fax Telecom: ES 203 021; FCC Title 47 CFR, Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Tele

Data sheet | HP LaserJet Pro MFP3102fdwe Printer

Footnotes

¹ Forest First: HP works collaboratively with our partners WWF and Arbor Day Foundation to manage, restore, and protect forests around the world through a variety of projects. With HP+, every print - regardless of paper brand – is addressed through HP's Forest Positive Framework to counteract risks of deforestation. HP brand paper is sourced only from certified responsibly managed forests or from recycled content. For other brands of paper. HP invests in forest restoration, protection or management projects in key regions, for instance Brazil, sufficient to balance any paper used by HP+ customers that may not have been responsibly sourced. To learn more visit http://www.hp.com/forestfirst.

² Smart app (Smart Pro): Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.

³ Easy to set up and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

⁴ Connected and ready - HP+ printers are ready when you are with improved connectivity utilising Smart Driver and Print/Scan Doctor technology. ⁵ Dedicated support: speak with a live HP+ support representative Mon-Fri 08:00-18:00 GMT / Sat-Sun 10:00-18:00 GMT. Excludes public holidays.

⁶ Extended warranty: 2 years HP Warranty in total. Refer to the documentation in the printer box for further information on HP warranty. HP Warranty benefits apply in addition to any statutory rights provided under applicable consumer protection laws related to non-conformity of goods with the contract of sale. Such consumer statutory rights are not limited or affected in any manner by the HP Warranty.

⁷ Save up to 50% on toner (mono) – Based on monthly subscription cost of HP Instant Ink monochrome toner service 1,500 page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 monochrome toner cartridge printers <€494 and MFPs priced <€672 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence September 2021 study commissioned by HP, based on publicly available information as of August 18, 2021. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 2021Q2. For details:

http://www.keypointintelligence.com/HPInstantInk. ⁸ Automatic delivery and consolidated bill - Printers require direct connection to the Internet for program participation. Internet access sold separately.

⁹ Recycling: Through the HP Planet Partners program (where available), recycled plastics are used as raw material and combined with other materials to help make new Original HP cartridges and other everyday products. For details, see http://www.hp.com/recycle. ¹⁰ Never run out - Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.

¹¹ Change or cancel - Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

⁵ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. gb-en July 2022

